


asalite®



CATALOG
2021

HEADQUARTERS:

- HUNGARY
4002, Külső Kassai str. 57.
Debrecen, Hungary

EXPORT:

- Austria
- Czech Republic
- Estonia
- Croatia
- Latvia
- Lithuania
- Germany
- Italy
- Romania
- Slovakia
- Slovenia



ASALITE

TOGETHER FOR A BRIGHTER FUTURE

With Asalite products, you can light your home and business in an energy- and cost-effective way. The Asalite brand was founded in 2014 and we can proudly say that in seven years 1,500 companies have already tried one of our products. We have a national network of representatives and provide services to our partners through our experienced team. Our wholesale web store has been accepting orders since 2017 with a constantly growing number of partners. 99% of our offer is available in our warehouse, so the ordered products will be delivered to our partners the next day. The quality of our products is also recognized by our foreign partners, and thanks to this, our export activities to the countries of the European Union are also showing continuous development. As a result of innovative developments, we are able to supply our partners with the most modern products and in many cases we are pioneers in the domestic market with some of our solutions. All Asalite products comply with the laws and regulations in force in the European Union.

“Our professional team and quality products guarantee that it is worth choosing us in a long term!”



Monoki Péter
CEO, owner

Table of contents

About our company.....	4
Table of contents.....	5
LED Lightsources.....	6
LED Filaments.....	13
LED Tubes.....	15
LED Panels.....	18
LED Floodlights.....	23
LED Ceiling Lamps.....	27
LED Table Lamps.....	32
SPECIAL Bulbs.....	34
HALOGEN Lightsources.....	37
LED Portable lamps	40
LED Worklamps.....	45
LED Camping Lamps.....	47
LED Headlamps.....	49
DISPLAY.....	51

LED


Lightsources



ASALITE LED - not only the light source of the future, but also of the present! The ASALITE brand also offers an alternative to a combination of high quality and long-term reliability for LED bulbs. Thanks to the LED chips used for the products, they are a stable solution for even, aesthetic and eye-pleasing interior lighting.

ASALITE LED Lightsource A60 E27 7W 3000K/4000K/6500K 570 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



TECHNICAL DETAILS


Consumption	7W (≈45W)
Socket	E27
Luminosity	570 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	60 x 110mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0031, ASAL0047 ASAL0132

A+



Asalite LED Lightsource A60 E27 9W 3000K/4000K/6500K 810 lumen


The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



TECHNICAL DETAILS


Consumption	9W (≈60W)
Socket	E27
Luminosity	810 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	60 x 112mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0011, ASAL0046 ASAL0108

A+



Asalite LED Lightsource A60 E27 12W 3000K/4000K/6500K 1055 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



TECHNICAL DETAILS


Consumption	12W (≈75W)
Socket	E27
Luminosity	1055 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	60 x 120mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0032, ASAL0045 ASAL0106

A+



Asalite LED Lightsource A65 E27 15W 3000K/4000K/6500K 1430 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



TECHNICAL DETAILS


Consumption	15W (≈95W)
Socket	E27
Luminosity	1430 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	60 x 125mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0052, ASAL0053 ASAL0107

A+



Asalite LED Lightsource A70 E27 18W 3000K/4000K/6500K 1620 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.




TECHNICAL DETAILS

Consumption	18W (≈118W)
Socket	E27
Luminosity	1620 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	70 x 140mm
Dimmable	no
Lifetime	30 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	AsAL0147, AsAL0146 AsAL0148

Asalite LED Lightsource R63 E27 10W 3000K/4000K 720 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.




TECHNICAL DETAILS

Consumption	10W (≈50W)
Socket	E27
Luminosity	720 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	63 x 103mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0066, ASAL0067

Asalite LED Lightsource G45 small globe E27 4W 3000K/4000K 350 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.




TECHNICAL DETAILS

Consumption	4W (≈30W)
Socket	E27
Luminosity	350 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	45 x 75mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL00164, ASAL0057

Asalite LED Lightsource G45 small globe E27 6W 3000K/4000K 510 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.




TECHNICAL DETAILS

Consumption	6W (≈40W)
Socket	E27
Luminosity	510 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	45 x 75mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0058, ASAL0059

Asalite LED Lightsource T45 stick E27 13W 3000K/4000K 1300 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS


Consumption	13W (≈88W)
Socket	E27
Luminosity	1300 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	43,5 x 138,5mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0173, ASAL0174

Asalite LED Lightsource E14 3W 3000K 340 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS


Consumption	3W (≈30W)
Socket	E14
Luminosity	340 lumen
Colour temperature	3000K
Lighting angle	320°
Size	22 x 60mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0121

Asalite LED Lightsource C37 candle E14 4W 3000K/4000K 350 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS


Consumption	4W (≈30W)
Socket	E14
Luminosity	350 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	37 x 100mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0014, ASAL0063

Asalite LED Lightsource C37 candle E14 6W 3000K/4000K/6500K 510 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS


Consumption	6W (≈40W)
Socket	E14
Luminosity	510 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	180°
Size	37 x 100mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0030, ASAL0068, ASAL0111

Asalite LED Lightsource G45 small globe E14 5W 3000K/4000K 410 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS

Consumption	5W (≈35W)
Socket	E17
Luminosity	410 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	45 x 75mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0165, ASAL0060

Asalite LED Lightsource R50 E14 5W 3000K/4000K 400 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS


Consumption	5W (≈35W)
Socket	E14
Luminosity	400 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	50 x 86mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0064, ASAL0065

Asalite LED Lightsource T37 stick E14 7W 3000K/4000K 600 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS

Consumption	7W (≈47W)
Socket	E14
Luminosity	600 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	37 x 115mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0171, ASAL0172

Asalite LED Lightsource GU10 3W 3000K/4000K 250 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS


Consumption	3W (≈25W)
Socket	GU10
Luminosity	250 lumen
Colour temperature	3000K/4000K
Lighting angle	120°
Size	50 x 60mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0049, ASAL0048

Asalite LED Lightsource GU10 5W 3000K/4000K/6500K 410 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS


Consumption	5W (≈35W)
Socket	GU10
Luminosity	410 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	120°
Size	50 x 60mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0028, ASAL0029 ASAL0109

Asalite LED Lightsource GU10 7W 3000K/4000K/6500K 560 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+




TECHNICAL DETAILS


Consumption	7W (≈45W)
Socket	GU10
Luminosity	560 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	120°
Size	50 x 60mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0051, ASAL0050 ASAL0110

Asalite LED Lightsource G4 1,5W 3000K/4000K 110 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A++




TECHNICAL DETAILS


Consumption	1,5W (≈13W)
Socket	G4
Luminosity	110 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	12 x 37mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	12 V AC/DC, 50/60 Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0070, ASAL0071

Asalite LED Lightsource G4 2W 3000K/4000K 220 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A++




TECHNICAL DETAILS

Consumption	2W (≈22W)
Socket	G4
Luminosity	220 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	16 x 42mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	12 V AC/DC, 50/60 Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0097, ASAL0098

Asalite LED Lightsource G9 3W 3000K/4000K 360 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A++




TECHNICAL DETAILS


Consumption	3W (≈35W)
Socket	G9
Luminosity	360 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	16 x 50mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0156, ASAL0157

Asalite LED Lightsource G9 6W 3000K/4000K 600 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A++




TECHNICAL DETAILS

Consumption	6W (≈50W)
Socket	G9
Luminosity	600 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	19 x 64mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0158, ASAL0159




LED Filaments



The color of the traditional light bulbs is 2700 Kelvin, the same color temperature is brought back by the ASALITE LED Filament product family, which besides having a favorable consumption, mood and shape fits perfectly with a Vintage style restaurant, loft-style apartment or office.

Asalite LED Lightsource C35 Filament candle E14 4W 2700K/4000K 400 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A++

4W
≈
35W

400
LUMEN

320°
LIGHTING
ANGLE

E14
SOCKET

25 000
HOURS


12 500
OFF ON

TECHNICAL DETAILS

Consumption	4W (≈35W)
Socket	E14
Luminosity	400 lumen
Colour temperature	2700K/4000K
Lighting angle	320°
Size	35 x 98mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0117, ASAL0122

Asalite LED Lightsource A60 Filament E27 6W 2700K/4000K 660 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A++

6W
≈
50W

660
LUMEN

320°
LIGHTING
ANGLE

E27
SOCKET

25 000
HOURS


12 500
OFF ON

TECHNICAL DETAILS

Consumption	6W (≈50W)
Socket	E27
Luminosity	660 lumen
Colour temperature	2700K/4000K
Lighting angle	320°
Size	60 x 108mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0118, ASAL0123

Asalite LED Lightsource A60 Filament E27 8W 2700K/4000K 810 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+

8W
≈
60W

810
LUMEN

320°
LIGHTING
ANGLE

E27
SOCKET

25 000
HOURS


12 500
OFF ON

TECHNICAL DETAILS

Consumption	8W (≈60W)
Socket	E27
Luminosity	810 lumen
Colour temperature	2700K/4000K
Lighting angle	320°
Size	60 x 108mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0119, ASAL0124

Asalite LED Lightsource ST64 Filament E27 8W 2700K 810 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



A+

8W
≈
60W

810
LUMEN

320°
LIGHTING
ANGLE

E27
SOCKET

25 000
HOURS

12 500
OFF ON

TECHNICAL DETAILS

Consumption	8W (≈60W)
Socket	E27
Luminosity	810 lumen
Colour temperature	2700K/4000K
Lighting angle	320°
Size	64 x 142mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0120





LED Tubes

The LED tube offers an alternative to the previous traditional type of T8 fluorescent tube. The advantage is that its light is flickering-free and has instant full light after switching on. As an environmentally friendly product, it offers immediate energy savings.

Our products are available with a power of 100 lumens/Watt and 140 lumens/ Watt. It can be installed in luminaires and fixtures intended for indoor use for main lighting tasks. As it is also recommended for everyday use, we recommend the product for lightening office buildings, warehouses, meeting rooms, public institutions, schools, halls and garages.

Asalite LED tube G13 T8-9W-60 cm 3000K/4000K/6500K 900 lumen

Flickering-free, high lumen/watt LED tubes are recommended for a wide range of indoor applications. And they offer significant energy savings compared to the previous traditional type of T8 fluorescent tube.




TECHNICAL DETAILS

Consumption	9W
LED type	SMD LED
Luminosity	900 lumen
Socket	G13
Colour temperature	3000K/4000K/6500K
Luminous efficacy	100 lumen/W
Size	26 x 604 x 590mm
Lifetime	25 000 hours
Circuit/Frequency	AC 180-240V, 50/60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0081, ASAL0082, ASAL0083

Asalite LED tube G13 T8-18W-120 cm 3000K/4000K/6500K 1800 lumen

Flickering-free, high lumen/watt LED tubes are recommended for a wide range of indoor applications. And they offer significant energy savings compared to the previous traditional type of T8 fluorescent tube.




TECHNICAL DETAILS

Consumption	18W
LED type	SMD LED
Luminosity	1800 lumen
Socket	G13
Colour temperature	3000K/4000K/6500K
Luminous efficacy	100 lumen/W
Size	26 x 1213 x 1199mm
Lifetime	25 000 hours
Circuit/Frequency	AC 180-265V, 50/60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0166, ASAL0076, ASAL0166

Asalite LED tube G13 T8-22W-150 cm 3000K/4000K/6500K 2200 lumen

Flickering-free, high lumen/watt LED tubes are recommended for a wide range of indoor applications. And they offer significant energy savings compared to the previous traditional type of T8 fluorescent tube.




TECHNICAL DETAILS

Consumption	22W
LED type	SMD LED
Luminosity	2200 lumen
Socket	G13
Colour temperature	3000K/4000K/6500K
Luminous efficacy	100 lumen/W
Size	26 x 1513 x 1499mm
Lifetime	25 000 hours
Circuit/Frequency	AC 180-265V, 50/60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0078, ASAL0079, ASAL0080

Asalite Premium LED tube T8-9W-60 cm 4000K/6500K 1260 High lumen

Flickering-free, high lumen/watt LED tubes are recommended for a wide range of indoor applications. And they offer significant energy savings compared to the previous traditional type of T8 fluorescent tube.

A++



TECHNICAL DETAILS

Consumption	9W
LED type	Premium SMD LED
Luminosity	1260 lumen
Socket	G13
Colour temperature	4000K/6500K
Luminous efficacy	140 lumen/W
Size	26 x 604 x 590mm
Lifetime	30 000 hours
Circuit/Frequency	AC 180-265V, 50/60Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0177, ASAL0178

Asalite Premium LED tube T8-18W-120 cm 4000K/6500K 2520 High lumen

Flickering-free, high lumen/watt LED tubes are recommended for a wide range of indoor applications. And they offer significant energy savings compared to the previous traditional type of T8 fluorescent tube.

A++



TECHNICAL DETAILS

Consumption	18W
LED type	Premium SMD LED
Luminosity	2520 lumen
Socket	G13
Colour temperature	4000K/6500K
Luminous efficacy	140 lumen/W
Size	26 x 1213 x 1199mm
Lifetime	30 000 hours
Circuit/Frequency	AC 180-265V, 50/60Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0145, ASAL0160

Asalite Premium LED tube T8-22W-150 cm 4000K/6500K 3080 High lumen

Flickering-free, high lumen/watt LED tubes are recommended for a wide range of indoor applications. And they offer significant energy savings compared to the previous traditional type of T8 fluorescent tube.

A++



TECHNICAL DETAILS

Consumption	22W
LED type	Premium SMD LED
Luminosity	3080 lumen
Socket	G13
Colour temperature	4000K/6500K
Luminous efficacy	140 lumen/W
Size	26 x 1513 x 1499mm
Lifetime	30 000 hours
Circuit/Frequency	AC 180-265V, 50/60Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0179, ASAL0180

Asalite LED tube starter T8 G13


The Asalite LED starter allows a LED tube to be inserted into the old fluorescent fixture. One starter per tubes must be placed in place of the old starter, and the luminaire modernized in this way is already operational.



TECHNICAL DETAILS

Material	plastic/aluminium
Size	5x4cm
IP Class	IP20
Weight	2,3g
Product code	ASAL0209

LED Panels



ASALITE LED panels with LED light sources are a long-term solution for even, aesthetic and eye-pleasing interior lighting thanks to high-quality, reliable LED chips and the world-renowned LIFUD driver. The LED panel can be placed in a plaster-board ceiling, in an alu frame and with a hanging solution by wires.

As it is also recommended for everyday use, we recommend the product for lightening office buildings, warehouses, meeting rooms, public institutions, schools, halls and garages.

Asalite Premium LED Panel 60x60 cm 40W 4000K 4800 lumen LIFUD driver

The Asalite LED panel contains reliable LED chips and a world-renowned LiFUD driver. As it is also recommended for everyday use, we recommend the product for lightening hotels, schools, office buildings, hospitals, meeting rooms and public institutions.



TECHNICAL DETAILS

Consumption	40W
LED type	SMD LED
Driver	LIFUD
Luminosity	4800 lumen
Colour temperature	4000K
Dimmable	no
Size	595 x 595 x 10 mm
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC, 50-60Hz
Energy rating	A+
UGR	22
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
IP Class	IP20
Product code	ASAL0151

Asalite Premium LED Panel 60x60 cm 45W 4000K 5400 lumen LIFUD NON-FLICKER driver

The Asalite LED panel contains reliable LED chips and a world-renowned LiFUD driver. As it is also recommended for everyday use, we recommend the product for lightening hotels, schools, office buildings, hospitals, meeting rooms and public institutions.



TECHNICAL DETAILS

Consumption	45W
LED type	SMD LED
Driver	LIFUD NON-FLICKER
Luminosity	5400 lumen
Colour temperature	4000K
Dimmable	no
Size	595 x 595 x 10 mm
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC, 50-60Hz
Energy rating	A+
UGR	22
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
IP Class	IP20
Product code	ASAL0149

Asalite Premium LED Panel 60x60 cm 40W 4000K 4400 lumen LIFUD driver UGR<19 low glare

The Asalite LED panel contains reliable LED chips and a world-renowned LiFUD driver. As it is also recommended for everyday use, we recommend the product for lightening hotels, schools, office buildings, hospitals, meeting rooms and public institutions.



TECHNICAL DETAILS

Consumption	40W
LED type	SMD LED
Driver	LIFUD
Luminosity	4400 lumen
Colour temperature	4000K
Dimmable	no
Size	595 x 595 x 10 mm
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC, 50-60Hz
Energy rating	A+
UGR	< 19
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
IP Class	IP20
Product code	ASAL0175

Asalite Premium LED Panel 120x30 cm 40W 4000K 4800 lumen LIFUD driver

The Asalite LED panel contains reliable LED chips and a world-renowned LiFUD driver. As it is also recommended for everyday use, we recommend the product for lightening hotels, schools, office buildings, hospitals, meeting rooms and public institutions.





TECHNICAL DETAILS

Consumption	40W
LED type	SMD LED
Driver	LIFUD
Luminosity	4800 lumen
Colour temperature	4000K
Dimmable	no
Size	1195 x 295 x 10 mm
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC, 50-60Hz
Energy rating	A+
UGR	22
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
IP Class	IP20
Product code	ASAL0152

Asalite Premium LED Panel 120x30cm 45W 4000K 5400 lumen LIFUD NON-FLICKER driver

The Asalite LED panel contains reliable LED chips and a world-renowned LiFUD driver. As it is also recommended for everyday use, we recommend the product for lightening hotels, schools, office buildings, hospitals, meeting rooms and public institutions.





TECHNICAL DETAILS

Consumption	45W
LED type	SMD LED
Driver	LIFUD NON-FLICKER
Luminosity	5400 lumen
Colour temperature	4000K
Dimmable	no
Size	1195 x 295 x 10 mm
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC, 50-60Hz
Energy rating	A+
UGR	22
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
IP Class	IP20
Product code	ASAL0150

Asalite Premium LED Panel 120x30 cm 40W 4000K 4400 lumen LIFUD driver UGR<19 low glare

The Asalite LED panel contains reliable LED chips and a world-renowned LiFUD driver. As it is also recommended for everyday use, we recommend the product for lightening hotels, schools, office buildings, hospitals, meeting rooms and public institutions.




TECHNICAL DETAILS

Consumption	40W
LED type	SMD LED
Driver	LIFUD
Luminosity	4400 lumen
Colour temperature	4000K
Dimmable	no
Size	1195 x 295 x 10 mm
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC, 50-60Hz
Energy rating	A+
UGR	< 19
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
IP Class	IP20
Product code	ASAL0176

Asalite LED panel ceiling mounting frame 60x60 cm

The Asalite Ceiling Mounted Frame is suitable for mounting the 60x60 cm Premium LED Panel. If you choose surface mounting, we recommend purchasing this type of frame.




TECHNICAL DETAILS

Shape	square
Material	aluminium
Size	60 x 60 x 4 cm
IP Class	IP20
Weight	500g
Product code	ASAL0153

Asalite LED panel ceiling mounting frame 120x30 cm

The Asalite Ceiling Mounted Frame is suitable for mounting the 120x30 cm Premium LED Panel. If you choose surface mounting, we recommend purchasing this type of frame.



TECHNICAL DETAILS

Shape	rectangle
Material	aluminium
Size	120 x 30 x 4 cm
IP Class	IP20
Weight	620g
Product code	ASAL0154

Asalite hanging installation set for led panel, 4pcs pack

The Asalite 4 pieces hanging installation set is suitable for mounting the 60x60 cm Premium LED Panel. If you choose hanging mounting, we recommend purchasing this type of installation set.



TECHNICAL DETAILS

Material	aluminium
Size	4pcs 100cm
IP Class	IP20
Weight	110g
Product code	ASAL0162

Asalite hanging installation set for led panels, 6pcs pack

The Asalite 6 pieces hanging installation set is suitable for mounting the 120x30 cm Premium LED Panel. If you choose hanging mounting, we recommend purchasing this type of installation set.



TECHNICAL DETAILS

Material	aluminium
Size	6pcs 100cm
IP Class	IP20
Weight	140g
Product code	ASAL0163

Asalite mounting clips for led panels, 4pcs pack

The Asalite 4pcs mounting clips kit is suitable for recessed installing the 60x60 cm Asalite Premium LED Panel in plasterboard ceiling.



TECHNICAL DETAILS

Material	aluminium
Size	5x4cm
IP Class	IP20
Wight	70g
Product code	ASAL0207

Asalite mounting clips for led panels, 6pcs pack

The Asalite 6pcs mounting clips kit is suitable for recessed installing the 120x30 cm Asalite Premium LED Panel in plasterboard ceiling.




TECHNICAL DETAILS

Material	aluminium
Size	5x4cm
IP Class	IP20
Wight	105g
Product code	ASAL0208


Asalite Ip65 triproof fixture for 2x120cm T8 LED tubes (tubes not incl.)

The Asalite Triproof fixture has high IP65 dust- and water resistance. The package does not include the LED tubes. The armature is equipped with all the necessary fastening clips and locks. It can be installed on wall and ceiling too, but with a hanging solution too. As it is also recommended for everyday use, we recommend the product in office buildings, warehouses, meeting rooms, public institutions, schools, or in rooms where the luminaire is exposed to excessive dirt. For example: car mechanic or carpenter workshops.




TECHNICAL DETAILS

Type of socket	G13
Number of socket	2 place
Size	126 x 10,5 x 8,5 cm
Circuit	AC 220-240V
Frequency	50/60 Hz
Working temperature	-30 °C- +70 °C
Shape	rectangle
Color	transparent/grey
Material	metal/plastic
Certificate	CE, LVD
IP Class	IP 65
Product code	ASAL155





LED Floodlights



Outdoors, one of the most difficult tasks is to create the ideal lighting condition, although there is typically the greatest need for this. In our living area, the LED floodlight is the best solution for illuminating courtyards, driveways, terraces, and other areas around the house.

Asalite LED Floodlight 10W 4500K/6500K 800 lumen

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.





TECHNICAL DETAILS

Consumption	10W
LED type	SMD LED
Luminosity	800 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	100 x 80mm
Lifetime	25 000 hours
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable lenght	35 cm
IP Class	IP65
Product code	ASAL0125, ASAL0126

Asalite LED Floodlight 20W 4500K/6500K 1600 lumen

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.





TECHNICAL DETAILS

Consumption	20W
LED type	SMD LED
Luminosity	1600 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	135 x 100mm
Lifetime	25 000 hours
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable length	35 cm
IP Class	IP65
Product code	ASAL0112, ASAL0127

Asalite LED Floodlight 30W 4500K/6500K 2400 lumen

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.





TECHNICAL DETAILS

Consumption	30W
LED type	SMD LED
Luminosity	2400 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	160 x 135mm
Lifetime	25 000 hours
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable length	35 cm
IP Class	IP65
Product code	ASAL0113, ASAL0128

Asalite LED Floodlight 50W 4500K/6500K 4000 lumen

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.





TECHNICAL DETAILS

Consumption	50W
LED type	SMD LED
Luminosity	4000 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	200 x 165mm
Lifetime	25 000 hours
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable length	35 cm
IP Class	IP65
Product code	ASAL0115, ASAL0130

Asalite LED Floodlight 100W 4500K/6500K 8000 lumen

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.





TECHNICAL DETAILS

Consumption	100W
LED type	SMD LED
Luminosity	8000 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	290 x 230mm
Lifetime	25 000 hours
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable length	35 cm
IP Class	IP65
Product code	ASAL0133, ASAL0134

Asalite LED Floodlight 10W 4500K/6500K 800 lumen + PIR sensor (black)

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.





TECHNICAL DETAILS

Consumption	100W
LED type	SMD LED
Luminosity	800 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	103 x 165mm
Sensor angle	> 180°
Sensor range	12 m
Lifetime	25 000 hours
Circuit/Frequency	AC 220-240V 50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable length	35 cm
IP Class	IP65
Product code	ASAL0137, ASAL0138

Asalite LED Floodlight 20W 4500K/6500K 1600 lumen + PIR sensor (black)

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.





TECHNICAL DETAILS

Consumption	20W
LED type	SMD LED
Luminosity	1600 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	122 x 178mm
Sensor angle	> 180°
Sensor range	12 m
Lifetime	25 000 hours
Circuit/Frequency	AC 220-240V 50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable length	35 cm
IP Class	IP65
Product code	ASAL0139, ASAL0140

Asalite LED Floodlight 30W 4500K/6500K 2400 lumen + PIR sensor (black)

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.



TECHNICAL DETAILS


Consumption	30W
LED type	SMD LED
Luminosity	2400 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	160 x 190mm
Sensor angle	> 180°
Sensor range	12 m
Lifetime	25 000 hours
Circuit/Frequency	AC 220-240V 50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable length	35 cm
IP Class	IP65
Product code	ASAL0114, ASAL0129

LED Floodlights



Asalite LED Floodlight 50W 4500K/6500K 4000 lumen + PIR sensor (black)

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.



A+




TECHNICAL DETAILS

Consumption	50W
LED type	SMD LED
Luminosity	4000 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	200 x 220mm
Sensor angle	> 180°
Sensor range	12 m
Lifetime	25 000 hours
Circuit/Frequency	AC 220-240V 50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable length	35 cm
IP Class	IP65
Product code	ASAL0116, ASAL0131

Asalite LED Floodlight 100W 4500K/6500K 8000 lumen + PIR sensor (black)

LED floodlights are the best solution for creating the ideal lighting conditions outdoors. In our living area or workplace it is also the optimal choice for lighting courtyards, terraces, driveways, truck stops and other areas.



A+



TECHNICAL DETAILS

Consumption	100W
LED type	SMD LED
Luminosity	8000 lumen
Colour temperature	4500K/6500K
Dimmable	no
Size	290 x 295mm
Sensor angle	> 180°
Sensor range	12 m
Lifetime	25 000 hours
Circuit/Frequency	AC 220-240V 50/60 Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Cable length	35 cm
IP Class	IP65
Product code	ASAL0135, ASAL0136



LED Ceiling Lamps




Asalite LED Ceiling Lights with LED light sources are a decorative solution for even, aesthetic, and eye-pleasing lighting in the chosen room, thanks to their elegant shape and demanding lampshade. The wide range of Asalite ceiling lamps provides an ideal opportunity for the most optimal choice, as the products are available in five different capacities with exceptionally high brightness. Some types can also be controlled with a remote controller.

LED Ceiling Lamps



Asalite LED Ceiling lamp KATE 12W 3000K/4000K 900 lumen (Round shape)

The 12W Asalite LED ceiling lamp provides an above market average of 900 lumens of light intensity at a 120-degree lighting angle, that is equivalent to a 65W traditional lightsource.




Kate

TECHNICAL DETAILS

Consumption	12W (≈65W)
Built-in lightsource	Integrated LED
Luminosity	900 lumen
Colour temperature	3000K/4000K
Size	Φ255x60mm
Dimmable	no
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	170-265V AC 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0181, ASAL0182

Asalite LED Ceiling lamp BELLA 18W 3000K/4000K 1350 lumen (Round shape)

The 18W Asalite LED ceiling lamp provides an above market average of 1350 lumens of light intensity at a 120-degree lighting angle, that is equivalent to a 90W traditional lightsource.




Bella

TECHNICAL DETAILS

Consumption	18W (≈90W)
Built-in lightsource	Integrated LED
Luminosity	1350 lumen
Colour temperature	3000K/4000K
Size	Φ330x63mm
Dimmable	no
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0183, ASAL0184

Asalite LED Ceiling lamp JULIA 24W 3000K/4000K 1800 lumen (Round shape)

The 24W Asalite LED ceiling lamp provides an above market average of 1800 lumens of light intensity at a 120-degree lighting angle, that is equivalent to a 115W traditional lightsource.




Julia

TECHNICAL DETAILS

Consumption	24W (≈115W)
Built-in lightsource	Integrated LED
Luminosity	1800 lumen
Colour temperature	3000K/4000K
Size	Φ330x63mm
Dimmable	no
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0185, ASAL0186

Asalite LED Ceiling lamp NORAH 12W 3000K/4000K 900 lumen (Diamond shape/Star pattern)

The 12W Asalite LED ceiling lamp provides an above market average of 900 lumens of light intensity at a 120-degree lighting angle, that is equivalent to a 65W traditional lightsource.



Norah

TECHNICAL DETAILS

Consumption	12W (≈65W)
Built-in lightsource	Integrated LED
Luminosity	900 lumen
Colour temperature	3000K/4000K
Size	Φ265x80mm
Dimmable	no
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0187, ASAL0188

Asalite LED Ceiling lamp ROSALIA 18W 3000K/4000K 1350 lumen (Diamond shape/Star pattern)

The 18W Asalite LED ceiling lamp provides an above market average of 1350 lumens of light intensity at a 120-degree lighting angle, that is equivalent to a 90W traditional lightsource.




TECHNICAL DETAILS

Consumption	18W (≈90W)
Built-in lightsource	Integrated LED
Luminosity	1350 lumen
Colour temperature	3000K/4000K
Size	Φ345x94mm
Dimmable	no
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0189, ASAL0190

Asalite LED Ceiling lamp VICTORIA 24W 3000K/4000K 1800 lumen (Diamond shape/Star pattern)

The 24W Asalite LED ceiling lamp provides an above market average of 1800 lumens of light intensity at a 120-degree lighting angle, that is equivalent to a 115W traditional lightsource.




TECHNICAL DETAILS

Consumption	24W (≈115W)
Built-in lightsource	Integrated LED
Luminosity	1800 lumen
Colour temperature	3000K/4000K
Size	Φ345x94mm
Dimmable	no
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0191, ASAL0192

Asalite LED Ceiling lamp LIZA 48W 3000K-6500K 3400 lumen (Diamond shape/Star pattern/Remote controller)

The 48W Asalite LED ceiling lamp provides an above-market average of 3400 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 200W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.




TECHNICAL DETAILS

Consumption	48W (≈200W)
Built-in lightsource	Integrated LED
Luminosity	3400 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	Φ412x97mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0193

Asalite LED Ceiling lamp LIZA 48W 3000K-6500K 3400 lumen (Round shape/ Star pattern/Remote controller)

The 48W Asalite LED ceiling lamp provides an above-market average of 3400 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 200W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.




TECHNICAL DETAILS

Consumption	48W (≈200W)
Built-in lightsource	Integrated LED
Luminosity	3400 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	Φ452x70mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0194

LED Ceiling Lamps

Asalite LED Ceiling lamp LIZA 48W 3000K-6500K 3400 lumen (Square shape/ Star pattern/Remote controller)

The 48W Asalite LED ceiling lamp provides an above-market average of 3400 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 200W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.




TECHNICAL DETAILS

Consumption	48W (≈200W)
Built-in lightsource	Integrated LED
Luminosity	3400 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	330x330x70mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0195

Asalite LED Ceiling lamp EMMA 72W 3000K-6500K 5000 lumen (Round shape/ Star pattern/Remote controller)

The 72W Asalite LED ceiling lamp provides an above-market average of 5000 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 350W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.




TECHNICAL DETAILS

Consumption	72W (≈350W)
Built-in lightsource	Integrated LED
Luminosity	5000 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	Φ570X80mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0196

Asalite LED Ceiling lamp EMMA 72W 3000K-6500K 5000 lumen (Square shape/ Star pattern/Remote controller)

The 72W Asalite LED ceiling lamp provides an above-market average of 5000 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 350W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.



TECHNICAL DETAILS

Consumption	72W (≈350W)
Built-in lightsource	Integrated LED
Luminosity	5000 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	432x432x73mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0197

Asalite LED Ceiling lamp OLIVIA 48W 3000K-6500K 3400 lumen (Diamond shape/Remote controller)

The 48W Asalite LED ceiling lamp provides an above-market average of 3400 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 200W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.




TECHNICAL DETAILS

Consumption	48W (≈200W)
Built-in lightsource	Integrated LED
Luminosity	3400 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	Φ412x97mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0198

Asalite LED Ceiling lamp OLIVIA 48W 3000K-6500K 3400 lumen (Round shape/Remote controller)

The 48W Asalite LED ceiling lamp provides an above-market average of 3400 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 200W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.




Olivia

TECHNICAL DETAILS

Consumption	48W (≈200W)
Built-in lightsource	Integrated LED
Luminosity	3400 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	Φ452x70mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V, 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0199

Asalite LED Ceiling lamp OLIVIA 48W 3000K-6500K 3400 lumen (Square shape/Remote controller)

The 48W Asalite LED ceiling lamp provides an above-market average of 3400 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 200W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.




Olivia

TECHNICAL DETAILS

Consumption	48W (≈200W)
Built-in lightsource	Integrated LED
Luminosity	3400 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	330x330x70mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V, 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0200

Asalite LED Ceiling lamp SOFIA 72W 3000K-6500K 5000 lumen (Round shape/Remote controller)

The 72W Asalite LED ceiling lamp provides an above-market average of 5000 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 350W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.




Sofia

TECHNICAL DETAILS

Consumption	72W (≈350W)
Built-in lightsource	Integrated LED
Luminosity	5000 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	Φ570X80mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V, 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0201

Asalite LED Ceiling lamp SOFIA 72W 3000K-6500K 5000 lumen (Square shape/Remote controller)

The 72W Asalite LED ceiling lamp provides an above-market average of 5000 lumens of light intensity at a 120-degree lighting angle, which is equivalent to a 350W traditional lightsource. Both the color temperature from 3000K to 6500K and the brightness of the CCT (change color temperature) ceiling lamps can be steplessly adjusted with the remote control included in the package.



Sofia

TECHNICAL DETAILS

Consumption	72W (≈350W)
Built-in lightsource	Integrated LED
Luminosity	5000 lumen
Colour temperature	3000-6500K CCT
Light color	Change color temperature
Size	432x432x73mm
Adjustable with remote controller	yes
Lifetime	25 000 hours
Switch on-off	15 000
Circuit/Frequency	AC 170-265V, 50-60Hz
Energy rating	A
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,9
Product code	ASAL0202


LED Table Lamps



Asalite LED table lamps are characterized by long-term, reliable quality. The high brightness, the optimal color temperature, the easy mobility and the variability of the lamp position result in the preservation of the quality of vision even with occasional home use or regular and constant work use.

Asalite LED Table lamp 6W 4000K 500 lumen (black)

Asalite LED table lamps are characterized by long-term, reliable quality. The high brightness, the optimal color temperature, the easy mobility and the variability of the position of the lamp result in the preservation of the quality of vision even with occasional use at home or regular and constant workplace.



A+


TECHNICAL DETAILS

Consumption	6 W
LED type	SMD LED
Socket	EURO socket
Luminosity	500 lumen
Colour temperature	4000K
Dimmable	no
Size	137 x 400 mm
Lighting angle	120°
Lifetime	25 000 hours
Circuit/Frequency	AC 220-240V, 50/60 Hz
Energy rating	A+
Color rendering index (Ra)	>80
Power Factor (Pf)	>0,5
Cable length	2 m
IP Class	IP20
Product code	ASAL0204

Asalite LED Table lamp 6W 4000K 500 lumen (white)

Asalite LED table lamps are characterized by long-term, reliable quality. The high brightness, the optimal color temperature, the easy mobility and the variability of the position of the lamp result in the preservation of the quality of vision even with occasional use at home or regular and constant workplace.


A+


TECHNICAL DETAILS

Consumption	6 W
LED type	SMD LED
Socket	EURO socket
Luminosity	500 lumen
Colour temperature	4000K
Dimmable	no
Size	137 x 400 mm
Lighting angle	120°
Lifetime	25 000 hours
Circuit/Frequency	AC 220-240V, 50/60 Hz
Energy rating	A+
Color rendering index (Ra)	>80
Power Factor (Pf)	>0,5
Cable length	2 m
IP Class	IP20
Product code	ASAL0203




SPECIAL Bulbs

Asalite special bulbs include refrigerator bulbs, oven bulbs and cooker-hood bulbs to illuminate our home electrical appliances. The product family also includes infrared bulbs, which are used in livestock breeding as well as in medicine.

Asalite Infrared Bulb G95 E27 100W 2800K FULL RED

The Asalite brand also offers a solution for a combination of high quality and long-term reliability for infrared bulbs. Their light and the heat they emit are soothing to the body and have a beneficial effect on blood circulation.




TECHNICAL DETAILS

Consumption	100 W
Socket	E27
Colour temperature	2800K
Size	95 x 136 mm
Lighting angle	180°
Dimmable	yes
Lifetime	5000 hours
Switch on-off	20 000
Circuit/Frequency	AC 220-240V / 50/60 Hz
Energy rating	E
Product color	red
Product code	ASAL0069

Asalite Infrared Bulb E27 100W/150W/250W 2800K RED

The Asalite brand also offers a solution for a combination of high quality and long-term reliability for infrared bulbs. Their light and the heat they emit are soothing to the body and have a beneficial effect on blood circulation.





TECHNICAL DETAILS

Consumption	100W/150W/250W
Socket	E27
Colour temperature	2800K
Size	125 x 175 mm
Lighting angle	180°
Dimmable	yes
Lifetime	5000 hours
Switch on-off	20 000
Circuit/Frequency	AC 220-240V / 50/60 Hz
Energy rating	E
Product color	red
Product code	ASAL0040, ASAL0041, ASAL0042

Asalite Infrared Bulb E27 150W/250W 2800K CLEAR

The Asalite brand also offers a solution for a combination of high quality and long-term reliability for infrared bulbs. Their light and the heat they emit are soothing to the body and have a beneficial effect on blood circulation.




TECHNICAL DETAILS

Consumption	150W/250W
Socket	E27
Colour temperature	2800K
Size	125 x 175 mm
Lighting angle	180°
Dimmable	yes
Lifetime	5000 hours
Switch on-off	20 000
Circuit/Frequency	AC 220-240V / 50/60 Hz
Energy rating	E
Product color	transparent
Product code	ASAL0043, ASAL0044

Asalite Cooker Hood E14 40W 2800K 350 lumen

The Asalite brand also offers a solution for a combination of high quality and long-term reliability for special bulbs. Their light and the heat they emit are soothing to the body and have a beneficial effect on blood circulation. The Asalite 40W cooker-hood bulb is a light source used to illuminate cooker-hoods.




TECHNICAL DETAILS


Consumption	40W
Socket	E14
Colour temperature	2800K
Size	25 x 82 mm
Lighting angle	360°
Dimmable	yes
Lifetime	1000 hours
Switch on-off	4000
Circuit/Frequency	AC 220-240V / 50/60 Hz
Energy rating	E
Product color	transparent
Working temperature	-20 °C- +40 °C
Product code	ASAL0069

Asalite Refrigerator Bulb E14 15W/25W 2800K 80/180 lumen

The Asalite brand also offers a solution for a combination of high quality and long-term reliability for special bulbs. Their light and the heat they emit are soothing to the body and have a beneficial effect on blood circulation. The Asalite 15W refrigerator bulb is a light source used to light up cooling equipment.



E




TECHNICAL DETAILS


Consumption	15W/25W
Socket	E14
Luminosity	80/180 lumen
Colour temperature	2800K
Size	26 x 54 mm
Lighting angle	360°
Dimmable	yes
Lifetime	1000 hours
Switch on-off	4000
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	E
Working temperature	-30 °C
Product color	transparent
Product code	ASAL0034, ASAL0037

Asalite Oven Bulb 300°C E14 15W/25W 2800K 80/180 lumen

The Asalite brand also offers a solution for a combination of high quality and long-term reliability for special bulbs. Their light and the heat they emit are soothing to the body and have a beneficial effect on blood circulation. The Asalite 15W oven bulb is a light source used to light up ovens.



E



TECHNICAL DETAILS

Consumption	15W/25W
Socket	E14
Luminosity	80/180 lumen
Colour temperature	2800K
Size	22 x 48mm / 25 x 55mm
Lighting angle	360°
Dimmable	yes
Lifetime	1000 hours
Switch on-off	4000
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	E
Working temperature	+300 °C
Product color	transparent
Product code	ASAL0084, ASAL0038



HALOGEN


Lightsources



The Asalite brand is also a solution to the need for long-term reliable quality in the case of Halogen bulbs, keeping in mind the display of aesthetic design. Halogen bulbs offer the perfect alternative to older, traditional bulbs. Today, when protecting our environment is a priority in our lives, responsible thinking is also essential when choosing the right lighting. The elements present in the halogen bulbs together result in the so-called halogen cycle, due to which the tungsten evaporated in the bulbs and the halogen compound present in the gas space react to form tungsten oxide. As a result, the Asalite halogen bulbs can save up to 30% in energy compared to conventional bulbs.

Asalite Halogen Bulb A55 E27 28W/42W/52W/70W 2800K 370/630/790/1120 lumen

The Asalite brand is also a solution to the need for long-term reliable quality for halogen bulbs, keeping the aesthetic design in mind. The Asalite halogen bulbs are an ideal choice for any type of luminaire with the right socket in mind.



C

28/42/52/70/70W
40/60/70/100W

370/630/790/1120
LUMEN

360°
LIGHTING
ANGLE

E27
SOCKET

2000
HOURS


4000
OFF ON

TECHNICAL DETAILS

Consumption	28W/42W/52W/70W
Socket	E27
Luminosity	370/630/790/1120 lumen
Colour temperature	2800K
Size	55 x 100 mm
Lighting angle	360°
Dimmable	yes
Lifetime	2000 hours
Switch on-off	4000
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	C
Product code	ASAL0002, ASAL0003, ASAL0004, ASAL0005

Asalite Halogen Bulb G45 small globe E14 18W/28W/42W 2800K 210/370/630 lumen

The Asalite brand is also a solution to the need for long-term reliable quality for halogen bulbs, keeping the aesthetic design in mind. The Asalite halogen bulbs are an ideal choice for any type of luminaire with the right socket in mind.



C

18/28/42 W
25/40/60 W

210/370/630
LUMEN

360°
LIGHTING
ANGLE

E14
SOCKET

2000
HOURS


4000
OFF ON

TECHNICAL DETAILS

Consumption	18W/28W/42W
Socket	E14
Luminosity	210/370/630 lumen
Colour temperature	2800K
Size	45 x 76 mm
Lighting angle	360°
Dimmable	yes
Lifetime	2000 hours
Switch on-off	4000
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	C
Product code	ASAL0054, ASAL0055, ASAL0056

Asalite Halogen Bulb C35 candle E14 18W/28W/42W 2800K 210/370/630 lumen

The Asalite brand is also a solution to the need for long-term reliable quality for halogen bulbs, keeping the aesthetic design in mind. The Asalite halogen bulbs are an ideal choice for any type of luminaire with the right socket in mind.



C

18/28/42 W
25/40/60 W

210/370/630
LUMEN

360°
LIGHTING
ANGLE

E14
SOCKET

2000
HOURS


4000
OFF ON

TECHNICAL DETAILS

Consumption	18W/28W/42W
Socket	E14
Luminosity	210/370/630 lumen
Colour temperature	2800K
Size	35 x 100 mm
Lighting angle	360°
Dimmable	yes
Lifetime	2000 hours
Switch on-off	4000
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	C
Product code	ASAL0008, ASAL0009, ASAL0033

Asalite Halogen Bulb R63 E27 42W 2800K 400 lumen

The Asalite brand is also a solution to the need for long-term reliable quality for halogen bulbs, keeping the aesthetic design in mind. The Asalite halogen bulbs are an ideal choice for any type of luminaire with the right socket in mind.



C

42 W
60 W

400
LUMEN

180°
LIGHTING
ANGLE

E27
SOCKET

2000
HOURS



4000
OFF ON

TECHNICAL DETAILS

Consumption	42W
Socket	E27
Luminosity	400 lumen
Colour temperature	2800K
Size	63 x 102 mm
Lighting angle	180°
Dimmable	yes
Lifetime	2000 hours
Switch on-off	4000
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	C
Product code	ASAL0104

Asalite Halogen Bulb R50 E14 28W 2800K 270 lumen

The Asalite brand is also a solution to the need for long-term reliable quality for halogen bulbs, keeping the aesthetic design in mind. The Asalite halogen bulbs are an ideal choice for any type of luminaire with the right socket in mind.





TECHNICAL DETAILS

Consumption	28W
Socket	E14
Luminosity	270 lumen
Colour temperature	2800K
Size	50 x 86 mm
Lighting angle	180°
Dimmable	yes
Lifetime	2000 hours
Switch on-off	4000
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	C
Product code	ASAL0105

Asalite Halogen Bulb GU10 35W/52W 2800K 320/510 lumen

The Asalite brand is also a solution to the need for long-term reliable quality for halogen bulbs, keeping the aesthetic design in mind. The Asalite halogen bulbs are an ideal choice for any type of luminaire with the right socket in mind.




TECHNICAL DETAILS

Consumption	35W/52W
Socket	GU10
Luminosity	320/510 lumen
Colour temperature	2800K
Size	50 x 55 mm
Lighting angle	120°
Dimmable	yes
Lifetime	2000 hours
Switch on-off	4000
Circuit	AC 220-240V
Frequency	50/60 Hz
Energy rating	C
Product code	ASAL0006, ASAL0007




LED portable lamps



As for the Asalite LED lamps, whether it is battery-operated or rechargeable battery-operated, for work or leisure, you will find everything from basic to professional. Thanks to the innovative development, our lamps are characterized by a sophisticated style and versatile, solid design, which in itself guarantees a long lifetime.

Asalite LED 10W Rechargeable Torch 800 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.




TECHNICAL DETAILS

Consumption	10W
LED type	CREE LED L2
Luminosity	max: 800 lumen min: 400 lumen
Size	166 x 70 mm
Working hours	high power: 6 hours / low power: 12 hours
Battery type	3 x 18650 Li-ion (2200mAh)
Charging time	8 hours
Accessories	USB cable, shoulder strap, 3 pcs 18650 Asalite akku
Functions	maximum/minimum/flashing
Light distance	max: 400 m / min: 200 m
Circuit	AC 100-240V
Material	metal
IP Class	IPX4
Product code	ASA30041

Asalite LED 6W Rechargeable Flashlight 500 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.




TECHNICAL DETAILS

Consumption	6W
LED type	CREE LED XM-L2 T6
Luminosity	max: 500 lumen / min: 100 lumen
Size	186 x 165 x 46 mm
Working hours	high power: 3,5 hours low power: 7,5 hours
Battery type	1 x 18650 Li-ion / 3,7V (2200mAh)
Charging time	3,5 hours
Accessories	charger, USB cable, 1 pcs 18650 Asalite akku
Function	maximum/minimum/flashing
Light distance	max: 270 m
Circuit	AC 100-240V
Material	metal
IP Class	IPX7
Product code	ASAKX600

Asalite LED 5W Rechargeable Flashlight with Zoom Function 400 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.




TECHNICAL DETAILS

Consumption	5W
LED type	CREE LED XPG
Luminosity	max: 400 lumen / medium: 200 lumen / min: 100 lumen
Size	35,5 x 25,5 x 159 mm
Working hours	high power: 3 hours medium power: 5 hours low power: 10 hours
Battery type	1 x 18650 Li-ion / 3,7V (2200mAh)
Charging time	4 hours
Accessories	USB cable, 1 pc 18650 Asalite battery
Function	max./medium/min./SOS
Light distance	max: 150 m
Circuit	AC 100-240V
Material	metal
IP Class	IPX4
Product code	ASAL0167

Asalite LED 4W Rechargeable Flashlight with Car Power Socket 300 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.



TECHNICAL DETAILS



Consumption	4W
LED type	CREE LED XPG2 R5
Luminosity	max: 300 lumen min: 160 lumen
Size	116,5 x 28,2 x 20,5 mm
Working hours	high power: 1,2 hours low power: 3 hours
Battery type	Rechargeable with car power socket
Charging time	2-3 hours
Charge level indicator	Red LED
Function	maximum/minimum/flashing
Light distance	max: 160 m
Circuit	AC 12-24V
Material	metal
IP Class	IPX4
Product code	ASA16005

LED Battery Flashlight



Asalite LED 13,5W Flashlight 1500 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.





TECHNICAL DETAILS

Consumption	13,5 W
LED type	PHILIPS LUXEON M LED
Luminosity	max: 1500 lumen / medium: 700 lumen / min: 350 lumen / flashing: 1500 lumen / SOS: 1500 lumen
Size	18 x 57 x 38,5 mm
Working hours	high power 10 h. / medium power: 20 h. / low power 40 h.
Battery type	3 x D alkaline batteries
Accessories	3 pcs D Asalite alkaline batteries
Function	max./medium/min./flash/SOS
Light distance	max: 370 m
Material	metal
IP Class	IPX7
Product code	ASA17006

Asalite LED 3W Flashlight 200 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.




TECHNICAL DETAILS

Consumption	3 W
LED type	CREE LED XPG3
Luminosity	max: 200 lumen / min: 70 lumen
Size	159 x 28 mm
Working hours	high power: 3 hours low power: 6 hours
Battery type	2 x AA alkaline batteries
Accessories	2 pcs AA Asalite alkaline batteries 1 pc belt pocket
Function	maximum/minimum/SOS
Light distance	max: 140 m
Material	metal
IP Class	IPX4
Product code	ASA17040ZOOM

Asalite LED 3W Flashlight 90 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.




TECHNICAL DETAILS

Consumption	3 W
LED type	LED
Luminosity	max: 90 lumen
Size	162 x 50 mm
Working hours	high power: 2 hours low power: 4 hours
Battery type	2 x AA batteies
Accessories	no
Function	maximum/minimum
Light distance	max: 150 m
Material	metal/rubber
IP Class	IPX4
Product code	ASA19010

Asalite LED 1,2W Flashlight 130 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.





TECHNICAL DETAILS

Consumption	1,2 W
LED type	CREE LED XP-E2 R2
Luminosity	130 lumen
Size	137 x 17 mm
Working hours	3 hours
Battery type	2 x AAA alkaline batteries
Accessories	2 pcs AAA Asalite alkaline batteries
Function	1 function
Light distance	73 m
Material	metal
IP Class	IPX4
Product code	ASAL0205

Asalite LED 1,2W Flashlight 130 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.




TECHNICAL DETAILS

Consumption	1,2 W
LED type	CREE LED XP-E2 R2
Luminosity	130 lumen
Size	137 x 17 mm
Working hours	3 hours
Battery type	2 x AAA alkaline batteries
Accessories	2 pcs AAA Asalite alkaline batteries
Function	1 function
Light distance	73 m
Material	metal
IP Class	IPX4
Product code	ASA16003

Asalite LED 1W Flashlight 50 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.





TECHNICAL DETAILS

Consumption	1 W
LED type	LED
Luminosity	50 lumen
Size	84 x 19 mm
Working hours	5 hours
Battery type	1 x AA zinc-carbon battery
Accessories	1 pcs AA Asalite zinc-carbon battery
Functions	1 function
Light distance	30 m
Material	metal
IP Class	IPX4
Product code	ASA88026

Asalite LED 0,75W Rubber Torch 10 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.





TECHNICAL DETAILS

Consumption	0,75 W
LED type	LED
Luminosity	10 lumen
Size	196 x 65 mm
Working hours	40 hours
Battery type	2 x D alkaline batteries
Accessories	no
Function	1 function
Light distance	10 m
Material	plastic/rubber
IP Class	IPX4
Product code	ASA88021

Asalite LED 3W Worklight 100 lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.



TECHNICAL DETAILS


Consumption	3W
LED type	3W COB LED + 3 x 0,5 W SMD LED
Luminosity	100 lumen COB LED, 20 lumen SMD LED
Size	62 x 88 mm
Working hours	5 hours
Battery type	3 x AAA zinc-carbon batteries
Accessories	3 pcs AAA Asalite zinc-carbon batteries
Function	2 functions, hanger
Light distance	10 m
Material	plastic/magnet
IP Class	IPX3
Guarantee	1 year
Product code	ASAL0212

LED Battery Lamp



Asalite 0,2W LED Silicone bikelamp 7 Lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. The practicality and wide usability due to the multiple functions played a key role in their design.





TECHNICAL DETAILS

Consumption	0,2 W
LED type	SMD LED
Luminosity	7 lumen
Size	45 x 35 x 2,5 mm
Working hours	50 hours
Battery type	2 x CR2032 coin batteries
Accessories	2 pcs CR2032 coin batteries
Function	1 function
Light distance	6 m
Material	silicon
IP Class	IPX4
Product code	ASAL0211

Asalite 18650 Rechargeable Li-ion battery 2200mAh BL2


Asalite 18650 Rechargeable Li-Ion Battery 2200mAh high capacity
Protection circuitry to prevent short circuits
Pressure vents to prevent explosions
More than 500 charge cycles
Voltage: 3.7V Charging Current



TECHNICAL DETAILS

Size	18,6 x 69 mm
Lifetime	500 Recharge cycle
Battery type	2 x 18650 batteries
Charging	rechargeable
Charging current	minimum: 1A, maximum: 2A
Current voltage	3,7 V
Product code	ASA18650BL2






LED Worklamps

Products with the Premium Asalite Quality logo are characterized by outstanding quality and use of materials, as well as long-term reliability, and are considered to be extremely innovative in terms of functionality. Asalite LED Work Lights are preferred beyond home usage, for example during construction work, in car repair shops, where the oil-resistant design is one of the most suitable choices. Our work lights also prove useful during leisure activities, such as fishing.

Asalite Premium Rechargeable LED 10W Worklamp 1100 Lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. Practicality and extensive usability due to multiple functions played a key role in their design. Premium Asalite Quality products are the result of innovative product development that has gained recognition in several countries of the European Union.




TECHNICAL DETAILS

Consumption	10 W
LED type	COB LED
Luminosity	max. power: 1100 lumen/ min. power: 400 lumen
Size	165 x 186 x 46 mm
Working hours	max. power: 3 h / min. power: 6 h
Battery type	2 x 18650 Li-ion (2400mAh)
Charging time	6 hours
Accessories	charger (5V 1A), USB charger cable, 2 pcs 18650 Asalite rechargeable batteries
Functions	maximum/minimum
Lighting distance	max: 50m
Circuit	AC 100-240V
Product material	metal/rubber
IP Class	IPX4
Product code	ASAZ69008

Asalite Premium Rechargeable LED 20W Worklamp 1500 Lumen

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. Practicality and extensive usability due to multiple functions played a key role in their design. Premium Asalite Quality products are the result of innovative product development that has gained recognition in several countries of the European Union.





TECHNICAL DETAILS

Consumption	20 W
LED type	COB LED
Luminosity	max. power: 1500 lumen/ min. power: 400 lumen
Size	165 x 186 x 46 mm
Working hours	max. power: 2 h / min. power: 6 h
Battery type	2 x 18650 Li-ion (2400mAh)
Charging time	6 hours
Accessories	charger (5V 1A), USB charger cable, 2 pcs 18650 Asalite rechargeable batteries
Function	maximum/minimum
Lighting distance	max: 60m
Circuit	AC 100-240V
Product material	metal/rubber
IP Class	IPX4
Product code	ASAZ69020

Asalite Premium Rechargeable 6W + 1W LED Oilproof Worklamp

Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. Practicality and extensive usability due to multiple functions played a key role in their design. Premium Asalite Quality products are the result of innovative product development that has gained recognition in several countries of the European Union.





TECHNICAL DETAILS

Consumption	6W+1W
LED type	COB LED
Luminosity	Floodlight mode white light: 550 lumen / medium: 220 lumen / min: 22 lumen. Red light mode: max. 30 lumen. Flashlight mode white light: max 80 lumen / min: 40 lumen.
Size	33 x 151 x 45 mm (close), 33 x 270 x 45 mm (open)
Working hours	Floodlight mode white light: max. 2.5 hours. Red light mode: max. 7 hours. Flashlight mode white light: max 8 hours.
Battery type	1 x 18650 Li-ion / 3,7V (2000mAh)
Charging time	3 hours
Accessories	USB charging cable, 1 pcs 18650 rechargeable battery
Function	Floodlight (3 modes)/ Red (2 modes)/ Flashlight (2 modes)
Lighting distance	max: 10m
Circuit	AC 100-240V
Product material	metal/ABS+TPE
IP Class	IPX5 + oilproof
Product code	ASAL0170

Asalite Premium LED Rechargeable 3W + 3W Oilproof Worklamp 380 lumen


Asalite brand lamps are characterized by high quality and material use as well as long-term reliability. Practicality and extensive usability due to multiple functions played a key role in their design. Premium Asalite Quality products are the result of innovative product development that has gained recognition in several countries of the European Union.



TECHNICAL DETAILS

Consumption	3W+3W
LED type	3W Bright XPG3 LED + 3W COB LED
Luminosity	Floodlight mode max: 380 lumen / medium: 160 lumen / min: 12 lumen. Flashlight mode: max 280 lumen / min: 60 lumen.
Size	55 x 123 x 32 mm (close), 55 x 215 x 32 mm (open)
Working hours	Floodlight mode max: 5,5 hours / medium: 10 hours / min: 102 hours. Flashlight mode: max 7 hours / min: 36 hours.
Battery type	1 x 18650 Li-ion / 3,7V (2600mAh)
Charging time	4 hours
Accessories	USB charging cable, 1pc 18650 Asalite rechargeable battery
Function	Floodlight (3 modes) / Flashlight (2 modes)
Lighting distance	max: 10m
Circuit	AC 100-240V
Product material	metal/ABS+PA66-CF30
IP Class	IPX5 + oilproof
Product code	ASAL0161

LED Camping lamps




Asalite camping lights offer an option for a wide range of usage due to their various functions. We recommend this product category for those who like hiking, fishing, hiking and camping. Unlike other lamps, these lamps have extra functions in addition to several brightness modes, such as: floodlight and direct light, high water resistance, or insecticide, insect repellent and power bank functions.

LED Camping Lamps



Asalite Rechargeable LED 8W Camping Lantern 350 lumen

Asalite brand lamps are characterized by high quality and material usage, as well as long-term reliability. Practicality and extensive usability due to multiple functions played a key role in their design. Premium Asalite Quality products are the result of innovative product development that has received recognition in several countries of the European Union.





TECHNICAL DETAILS

Consumption	8 W
LED type	SMD LED
Luminosity	max: 350 lumen
Size	82 x 82 x 182 mm
Working hours	max. power: 3 hours
Battery type	2 x 18650 Li-ion / 3,7V (2200mAh)
Charging time	6 hours
Accessories	USB charging cable, 2 pcs 18650 Asalite Rechargeable batteries
Function	maximum/medium/minimum/ flashing
Lighting distance	max: 5m
Circuit	AC 100-240V
Product material	ABS+rubber
IP Class	IPX4
Product code	ASA1800CAMP

Asalite Premium Rechargeable LED 3W Camping Lantern+Mosquito Killer 350 lumen

Asalite brand lamps are characterized by high quality and material usage, as well as long-term reliability. Practicality and extensive usability due to multiple functions played a key role in their design. Premium Asalite Quality products are the result of innovative product development that has received recognition in several countries of the European Union.





TECHNICAL DETAILS

Consumption	3 W
LED type	3W COB Osram LED / 9 x 0,5W SMD LED / 5 x 0,5W UV LED
Luminosity	Camping lantern mode max: 350 lumen / min: 100 lumen, Flashlight mode: 300 lumen, SOS mode: 320 lumen
Size	90 x 135 mm
Working hours	Camping lantern mode max power: 8 hours / min power: 16 hours, Flashlight mode: 10 hours, SOS mode: 9 hours, Mosquito killer mode: 12 hours
Battery type	1 x 18650 Li-ion / 3,7V (2200mAh)
Charging time	3,5 hours
Accessories	USB charging cable (5V 1A), 1 pc 18650 Asalite recharge battery
Function	Camping lantern mode: min/max / Flashlight mode / SOS / Mosquito killer mode
Lighting distance	max: 100m
Circuit	AC 100-240V
Product material	ABS
IP Class	IPX6
Product code	ASA25MOSQUITO

Asalite Premium Rechargeable LED 3,5W Camptube + Mosquito Repellent 280 lumen

Asalite brand lamps are characterized by high quality and material usage, as well as long-term reliability. Practicality and extensive usability due to multiple functions played a key role in their design. Premium Asalite Quality products are the result of innovative product development that has received recognition in several countries of the European Union.



TECHNICAL DETAILS

Consumption	3,5 W
LED type	3,5W SMD LED / 2W LED Flashlight
Luminosity	max: 280 lumen
Size	24 x 24 x 4 mm
Working hours	8 hours / medium power: 20 hours / min. power: 30 hours / Flashlight mode: 20 hours / Repellent mode: 20 hours
Battery type	2 x 18650 Li-ion / 3,7V (4400mAh)
Charging time	5 hours
Accessories	USB charging cable, armband, 2 pcs 18650 Asalite rechargeable batteries
Function	max. / medium / min. / flashlight mode / repellent mode / red-whote flash mode / IC turn off / power bank
Lighting distance	max: 150m
Circuit	AC 100-240V
Product material	PC + aluminium
IP Class	IP68 (3m)
Product code	ASA25CAMPTUBE


LED Headlamps



In the Asalite Headlamp family, everyone can find the best choice for them, be it for work or any leisure outdoor activity! Our Headlamps are modern in design, easy to handle, comfortable and easy to wear, and have economical use. We have enriched all our lamps with multiple brightnesses and many features.

Asalite Premium Rechargeable LED 5W Headlamp 350 lumen

The main convenience feature of headlamps is to leave our hands free. We take advantages of them at camping, night tours, but even at home. The light source of today's headlamps is almost solely LED, which consumes little, is bright and has a long lifetime.




5 WATT CREE LED	MAX 350 LUMEN	MAX 100 METER	1X18650 BATTERY	DUST & DAMP IPX6 PROTECTION	NET 150g WEIGHT
--------------------	------------------	------------------	--------------------	-----------------------------------	-----------------------

TECHNICAL DETAILS

Consumption	5 W
LED type	5W CREE XPG3 S3 LED / 1W white LED / 0,5W red LED
Luminosity	max: 350 lumen
Size	56 x 42 mm
Working hours	max. power: 2,2 hours / medium power: 6 hours / red LED: 8 hours
Battery type	1 x 18650 Li-ion / 3,7V (2200mAh)
Charging time	2,5 hours
Accessories	USB charging cable, 1 pc 18650 Asalite recharge battery, Asalite headband
Function	white LED medium power + focus LED / white LED max power + focus LED / red LED max power
Lighting distance	max: 100m
Circuit	AC 100-240V
Charging	5V 1A (charging indicator light)
Product material	PC
IP Class	IPX6
Product code	ASA6820ULTRA

Asalite Rechargeable LED 3W Sensor Headlamp 200 lumen (Black)

The main convenience feature of headlamps is to leave our hands free. We take advantages of them at camping, night tours, but even at home. The light source of today's headlamps is almost solely LED, which consumes little, is bright and has a long lifetime.




3 WATT CREE LED	MAX 200 LUMEN	MAX 60 METER	1X14650 BATTERY	DUST & DAMP IPX4 PROTECTION	NET 74g WEIGHT
--------------------	------------------	-----------------	--------------------	-----------------------------------	----------------------

TECHNICAL DETAILS

Consumption	3 W
LED type	3W CREE LED / 2 pcs red SMD LED
Luminosity	max: 200 lumen
Size	60 x 40 x 35 mm
Working hours	white light max power: 4 hours / medium power: 10 hours / flash mode: 20 hours / red light max: 40 hours / red light flash mode: 80 hours
Battery type	1 x 14650 Li-ion (1200mAh)
Charging time	2,5 hours
Accessories	USB charging cable, 1pc 14650 Asalite rechargeable battery, Asalite headband
Function	white LED max / medium / flash mode / red light / red light flash / sensor mode
Lighting distance	max: 60m
Circuit	AC 100-240V
Charging	5V 1A (charging indicator light)
Product material	PC
IP Class	IPX4
Product code	ASAL0169

Asalite Rechargeable LED 3W Sensor Headlamp 200 lumen (White)

The main convenience feature of headlamps is to leave our hands free. We take advantages of them at camping, night tours, but even at home. The light source of today's headlamps is almost solely LED, which consumes little, is bright and has a long lifetime.




3 WATT CREE LED	MAX 200 LUMEN	MAX 60 METER	1X14650 BATTERY	DUST & DAMP IPX4 PROTECTION	NET 74g WEIGHT
--------------------	------------------	-----------------	--------------------	-----------------------------------	----------------------

TECHNICAL DETAILS

Consumption	3 W
LED type	3W CREE LED / 2 pcs red SMD LED
Luminosity	max: 200 lumen
Size	60 x 40 x 35 mm
Working hours	white light max power: 4 hours / medium power: 10 hours / flash mode: 20 hours / red light max: 40 hours / red light flash mode: 80 hours
Battery type	1 x 14650 Li-ion (1200mAh)
Charging time	2,5 hours
Accessories	USB charging cable, 1pc 14650 Asalite rechargeable battery, Asalite headband
Function	white LED max / medium / flash mode / red light / red light flash / sensor mode
Lighting distance	max: 60m
Circuit	AC 100-240V
Charging	5V 1A (charging indicator light)
Product material	PC
IP Class	IPX4
Product code	ASAL0168

Asalite Cree LED 3W Headlamp 285 lumen

The main convenience feature of headlamps is to leave our hands free. We take advantages of them at camping, night tours, but even at home. The light source of today's headlamps is almost solely LED, which consumes little, is bright and has a long lifetime.



3 WATT CREE LED	MAX 82 LUMEN	MAX 60 METER	3XAAA BATTERY	DUST & DAMP IPX4 PROTECTION	NET 55g WEIGHT
--------------------	-----------------	-----------------	------------------	-----------------------------------	----------------------

TECHNICAL DETAILS

Consumption	3 W
LED type	3W CREE XPE LED / 3 pcs COB LED (white/red/green)
Luminosity	CREE+ COB LED max. power: 285 lumen CREE LED max. power: 190 lumen CREE LED min. power: 60 lumen COB LED white: 140 lumen COB LED red: 7 lumen COB LED green: 26 lumen
Size	60 x 40 x 35 mm
Working hours	max. power: 8 hours
Battery type	3 x AAA Super alkaline batteries
Charging time	3 pcs AAA Asalite batteries, Asalite headband
Accessories	CREE+COB LED: maximum / minimum / CREE flash / COB LED: white/red/green
Function	max: 82m
Product material	PC
IP Class	IPX4
Product code	ASAL0206



Product code: ASA-DSP-00841

The use of a display is very common, one of the reasons being that it is a good advertising tool not only for the product but also for the store. Manufacturers are encouraging the increase their product sales data by making the display available, which also means it's also increasing the sales data of the store that sells the product. Another advantage of using a display is that it is a good advertising and decorative tool for the user store due to its attention-grabbing effect.



Phone: +36 70 433 3200

E-mail: info@asalite.com

Biling Address: 4033 Debrecen, Vak Bottyán u. 22/A.

Office/Warehouse: 4002, Külső Kassai út 57. Debrecen, Hungary



Import/Export manager

Zoltán Csókási

Mobil: +36 70 671 5305

E-mail: zoltancsokasi@asalite.com

www.asalite.com